

SNF (UK) Limited, 1 Red Hall Crescent, Paragon Business Village, Wakefield WF1 2DF, United Kingdom
 phone: 01924-311000, e-mail: regs@snf.com

FLOPAM™ FO 4650 SH

| | |
|---|---|
| Form: | Granular solid |
| Color : | White |
| Ionic character: | Cationic |
| Charge density: | Very high |
| Molecular Weight: | High |
| Particle size: | > 2 mm : <= 2 % < 0.15 mm : <= 6 % |
| Approx. bulk density: | 0.85 |
| Brookfield viscosity† (cP): | @ 5.0 g/L : 580 @ 2.5 g/L : 180 @ 1.0 g/L : 100 |
| pH: | 2.5 - 4.5 @ 5 g/L |
| Recommended working concentration (g/L): | 4 |
| Maximum use concentration (g/L): | 10 |
| Dissolution time (minutes) in DI water @ 5 g/L, 25°C: | 60 |
| Stability of DI solution (days): | 1 |
| Storage temperature (°C): | 0 - 35 |
| Shelf life (months)*: | 24 |

† Average values given for determination of preparation and dosing equipment for which a viscosity 10 times lower can be used.

* When stored inside a building at a stable temperature between 5°C and 30°C.

Packing sizes

| | |
|------------------|------------|
| Multiwall bags | 25 kg |
| Big Bags | 750 kg |
| Other dimensions | On request |

The data in this Technical Data Sheet is provided for information only. It is correct to the best of our knowledge, information and belief at the date of its publication. It does not constitute a specification and no liability is assumed, nor freedom from any existing patents.